


HENCO PRODUCT OVERVIEW 2011/1



RADIATOR



SANITARY



FLOOR HEATING



GAS




Your Connection to Perfection






| | Page | |
|-----------------------------------|------|-----------|
| Pipes | 5 | 1 |
| A. STANDARD (PE-Xc/AL/PE-Xc) | 5 | |
| B. RIXc (PE-Xc/AL/PE-Xc) | 11 | |
| C. FLOOR (PE-Xc/AL/PE-Xc) | 14 | |
| D. FLOOR (PE-RT/AL/PE-RT) | 15 | |
| E. PE-Xc | 16 | |
| F. PE-RT | 17 | |
| G. PROTECTION HOSE | 18 | |
| H. GAS STANDARD (PE-Xc/AL/PE-Xc) | 19 | |
| PVDF Press fittings | 21 | 2 |
| A. STANDARD | 21 | |
| B. GAS | 31 | |
| PVDF Push fittings | 38 | 3 |
| A. FITTINGS | 38 | |
| B. MANIFOLDS | 44 | |
| Brass Press fittings | 51 | 4 |
| A. STANDARD | 51 | |
| B. GAS | 64 | |
| Brass Compression fittings | 66 | 5 |
| Manifolds | 76 | 6 |
| Valves | 82 | 7 |
| Underfloor heating | 93 | 8 |
| A. SYSTEMS | 93 | |
| B. MANIFOLDS | 107 | |
| C. CONTROL UNITS | 121 | |
| Cabinets | 131 | 9 |
| Tools | 133 | 10 |
| Accessories | 151 | 11 |
| Certificates | 154 | |



| | <i>Page</i> |
|---|-------------|
| A. STANDARD (PE-Xc/AL/PE-Xc) | 5 |
| B. RIXc (PE-Xc/AL/PE-Xc) | 11 |
| C. FLOOR (PE-Xc/AL/PE-Xc) | 14 |
| D. FLOOR (PE-RT/AL/PE-RT) | 15 |
| E. PE-Xc | 16 |
| F. PE-RT | 17 |
| G. PROTECTION HOSE | 18 |
| H. GAS STANDARD (PE-Xc/AL/PE-Xc) | 19 |



Type: COIL



Henco multilayer pipe (Coil)
 Henco meerlagenbuis (Rol)
 Henco tube multicouche (Rouleau)
 Henco Mehrschichtverbundrohr (Ring)

| Article number | m / Pallet | Type | Subgroup |
|-----------------|----------------|--------|----------|
| • 100-121688 ** | 100 m | 12x1,6 | |
| • 200-121688 ** | 200 m | 12x1,6 | |
| 50-140210 * | 50 m | 14x2 | 1.14S PB |
| 100-140210 | 100 m / 2500 m | 14x2 | 1.14S PB |
| 200-140210 | 200 m / 3000 m | 14x2 | 1.14S PB |
| 50-160212 | 50 m / 1500 m | 16x2 | 1.16S PB |
| 100-160212 | 100 m / 2200 m | 16x2 | 1.16S PB |
| 200-160212 | 200 m / 2600 m | 16x2 | 1.16S PB |
| 500-160212 | 500 m / 2500 m | 16x2 | 1.16S PB |
| 100-180214 | 100 m / 1700 m | 18x2 | 1.18S PB |
| 200-180214 | 200 m / 2000 m | 18x2 | 1.18S PB |
| 100-200216 | 100 m / 1500 m | 20x2 | 1.20S PB |
| 50-260320 | 50 m / 800 m | 26x3 | 1.26S PB |
| 50-320326 | 50 m / 650 m | 32x3 | 1.32S PB |

* IDEAL FOR FUEL OIL ** 6 bar - 60°C

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

A. STANDARD (PE-Xc/AL/PE-Xc)

1 Type: STRAIGHT LENGTH



Henco multilayer pipe (Straight length)


Henco meerlagenbuis (Stang)

Henco tube multicouche (Barre)

Henco Mehrschichtverbundrohr (Stange)

| Article number | Cylinder | Type | Subgroup |
|----------------|----------|--------|-----------|
| 02-160212 | 50 m | 16x2 | 2.16S P B |
| 03-160212 | 75 m | 16x2 | 2.16S P B |
| 04-160212 | 100 m | 16x2 | 2.16S P B |
| 05-160212 | 125 m | 16x2 | 2.16S P B |
| 02-180214 | 40 m | 18x2 | 2.18S P B |
| 03-180214 | 60 m | 18x2 | 2.18S P B |
| 04-180214 | 80 m | 18x2 | 2.18S P B |
| 05-180214 | 100 m | 18x2 | 2.18S P B |
| 02-200216 | 36 m | 20x2 | 2.20S P B |
| 03-200216 | 48 m | 20x2 | 2.20S P B |
| 04-200216 | 72 m | 20x2 | 2.20S P B |
| 05-200216 | 90 m | 20x2 | 2.20S P B |
| 02-260320 | 20 m | 26x3 | 2.26S P B |
| 03-260320 | 30 m | 26x3 | 2.26S P B |
| 04-260320 | 40 m | 26x3 | 2.26S P B |
| 05-260320 | 50 m | 26x3 | 2.26S P B |
| 02-320326 | 14 m | 32x3 | 2.32S P B |
| 03-320326 | 21 m | 32x3 | 2.32S P B |
| 04-320326 | 28 m | 32x3 | 2.32S P B |
| 05-320326 | 35 m | 32x3 | 2.32S P B |
| 02-403533 | 18 m | 40x3,5 | 2.40S P B |
| 03-403533 | 27 m | 40x3,5 | 2.40S P B |
| 04-403533 | 36 m | 40x3,5 | 2.40S P B |
| 05-403533 | 45 m | 40x3,5 | 2.40S P B |
| 02-504042 | 14 m | 50x4 | 2.50S P B |
| 03-504042 | 21 m | 50x4 | 2.50S P B |
| 04-504042 | 28 m | 50x4 | 2.50S P B |
| 05-504042 | 35 m | 50x4 | 2.50S P B |
| 02-634554 | 8 m | 63x4,5 | 2.63S P B |
| 03-634554 | 12 m | 63x4,5 | 2.63S P B |
| 04-634554 | 16 m | 63x4,5 | 2.63S P B |
| 05-634554 | 20 m | 63x4,5 | 2.63S P B |

A. STANDARD (PE-Xc/AL/PE-Xc)



Type: ISO4 (6 mm)



Pre-insulated (Coil)
Voorgeïsoleerd (Rol)
Préisolé (Rouleau)
Isolierd (Ring)

| Article number | m / Pallet | Type | Subgroup |
|-----------------|----------------|-----------|-----------|
| 100-ISO4-14-RO | 100 m / 1300 m | 14x2 red | 1.14SI4 P |
| 100-ISO4-14-BL | 100 m / 1300 m | 14x2 blue | 1.14SI4 P |
| • 50-ISO4-16-RO | 50 m / 650 m | 16x2 red | 1.16SI4 P |
| • 50-ISO4-16-BL | 50 m / 650 m | 16x2 blue | 1.16SI4 P |
| 100-ISO4-16-RO | 100 m / 1300 m | 16x2 red | 1.16SI4 P |
| 100-ISO4-16-BL | 100 m / 1300 m | 16x2 blue | 1.16SI4 P |
| 50-ISO4-18-RO | 50 m / 650 m | 18x2 red | 1.18SI4 P |
| 50-ISO4-18-BL | 50 m / 650 m | 18x2 blue | 1.18SI4 P |
| 50-ISO4-20-RO | 50 m / 700 m | 20x2 red | 1.20SI4 P |
| 50-ISO4-20-BL | 50 m / 700 m | 20x2 blue | 1.20SI4 P |
| 25-ISO4-26-RO | 25 m / 300 m | 26x3 red | 1.26SI4 P |
| 25-ISO4-26-BL | 25 m / 200 m | 26x3 blue | 1.26SI4 P |
| 50-ISO4-26-RO | 50 m / 500 m | 26x3 red | 1.26SI4 P |
| 50-ISO4-26-BL | 50 m / 500 m | 26x3 blue | 1.26SI4 P |
| 25-ISO4-32-RO | 25 m / 300 m | 32x3 red | 1.32SI4 P |
| 25-ISO4-32-BL | 25 m / 300 m | 32x3 blue | 1.32SI4 P |

Type: ISO9 (10 mm)



Pre-insulated (Coil)
Voorgeïsoleerd (Rol)
Préisolé (Rouleau)
Isolierd (Ring)

| Article number | m / Pallet | Type | Subgroup |
|----------------|--------------|-----------|-----------|
| 50-ISO9-14-RO | 50 m / 600 m | 14x2 red | 2.14SI9 P |
| 50-ISO9-14-BL | 50 m / 600 m | 14x2 blue | 2.14SI9 P |
| 50-ISO9-16-RO | 50 m / 650 m | 16x2 red | 2.16SI9 P |
| 50-ISO9-16-BL | 50 m / 650 m | 16x2 blue | 2.16SI9 P |
| 50-ISO9-18-RO | 50 m / 650 m | 18x2 red | 2.18SI9 P |
| 50-ISO9-18-BL | 50 m / 650 m | 18x2 blue | 2.18SI9 P |
| 50-ISO9-20-RO | 50 m / 500 m | 20x2 red | 2.20SI9 P |
| 50-ISO9-20-BL | 50 m / 500 m | 20x2 blue | 2.20SI9 P |
| 25-ISO9-26-RO | 25 m / 275 m | 26x3 red | 2.26SI9 P |
| 25-ISO9-26-BL | 25 m / 275 m | 26x3 blue | 2.26SI9 P |
| 50-ISO9-26-RO | 50 m / 400 m | 26x3 red | 2.26SI9 P |
| 50-ISO9-26-BL | 50 m / 400 m | 26x3 blue | 2.26SI9 P |
| 25-ISO9-32-RO | 25 m / 250 m | 32x3 red | 2.32SI9 P |
| 25-ISO9-32-BL | 25 m / 250 m | 32x3 blue | 2.32SI9 P |

A. STANDARD (PE-Xc/AL/PE-Xc)

1 Type: ISO13 (13 mm)



Pre-insulated (Coil)
 Voorgeïsoleerd (Rol)
 Préisolé (Rouleau)
 Isoliert (Ring)

| Article number | m / Pallet | Type | Subgroup |
|----------------|--------------|-----------|------------|
| 50-IS013-16-BL | 50 m / 400 m | 16x2 blue | 3.16SI13 P |
| 50-IS013-18-BL | 50 m / 400 m | 18x2 blue | 3.16SI13 P |
| 50-IS013-20-BL | 50 m / 400 m | 20x2 blue | 3.20SI13 P |
| 50-IS013-26-BL | 50 m / 400 m | 26x3 blue | 3.26SI13 P |
| 25-IS013-32-BL | 25 m / 250 m | 32x3 blue | 3.32SI13 P |

8 Type: ISO-EXZ13 (13 mm under, 6 mm above)



Pre-insulated eccentrically, 50% EnEv 2002 (Coil)
 Voorgeïsoleerd excentrisch, 50% EnEv 2002 (Rol)
 Préisolé excentrique, 50% EnEv 2002 (Rouleau)
 Isoliert exzentrisch, 50% EnEv 2002 (Ring)

| Article number | m / Pallet | Type | Subgroup |
|-----------------|--------------|-----------|------------|
| 50-IS013-E16-BL | 50 m / 500 m | 16x2 blue | 3.16SI13 P |
| 25-IS013-E20-BL | 25 m / 250 m | 20x2 blue | 3.20SI13 P |
| 25-IS013-E26-BL | 25 m / 225 m | 26x3 blue | 3.26SI13 P |


11 Type: ISO-EXZ26 (26 mm under, 6 mm above)



Pre-insulated eccentrically, 100% EnEv 2002 (Coil)
 Voorgeïsoleerd excentrisch, 100% EnEv 2002 (Rol)
 Préisolé excentrique, 100% EnEv 2002 (Rouleau)
 Isoliert exzentrisch, 100% EnEv 2002 (Ring)

| Article number | m / Pallet | Type | Subgroup |
|-----------------|--------------|-----------|------------|
| 25-IS026-E16-BL | 25 m / 200 m | 16x2 blue | 4.16SI26 P |
| 25-IS026-E20-BL | 25 m / 200 m | 20x2 blue | 4.20SI26 P |
| 25-IS026-E26-BL | 25 m / 200 m | 26x3 blue | 4.26SI26 P |

A. STANDARD (PE-Xc/AL/PE-Xc)



Type: STANDARD PIPE IN PIPE



With colour coded conduit (Coil)

Met mantel (Rol)

Avec gaine (Rouleau)

Mit Mantel (Ring)

| Article number | m / Pallet | Type | Subgroup |
|----------------|----------------|------------|-----------|
| 25-014MR | 25 m / 800 m | 14x2 red | 1.14STP P |
| 25-014MB | 25 m / 800 m | 14x2 blue | 1.14STP P |
| 25-014MBLACK | 25 m / 800 m | 14x2 black | 1.14STP P |
| 50-014MR | 50 m / 800 m | 14x2 red | 1.14STP P |
| 50-014MB | 50 m / 800 m | 14x2 blue | 1.14STP P |
| 50-014MBLACK | 50 m / 800 m | 14x2 black | 1.14STP P |
| 100-014MR | 100 m / 1000 m | 14x2 red | 1.14STP P |
| 100-014MB | 100 m / 1000 m | 14x2 blue | 1.14STP P |
| 100-014MBLACK | 100 m / 1000 m | 14x2 black | 1.14STP P |
| 25-016MR | 25 m / 800 m | 16x2 red | 1.16STP P |
| 25-016MB | 25 m / 800 m | 16x2 blue | 1.16STP P |
| 25-016MBLACK | 25 m / 800 m | 16x2 black | 1.16STP P |
| 50-016MR | 50 m / 800 m | 16x2 red | 1.16STP P |
| 50-016MB | 50 m / 800 m | 16x2 blue | 1.16STP P |
| 50-016MBLACK | 50 m / 800 m | 16x2 black | 1.16STP P |
| 100-016MR | 100 m / 1000 m | 16x2 red | 1.16STP P |
| 100-016MB | 100 m / 1000 m | 16x2 blue | 1.16STP P |
| 100-016MBLACK | 100 m / 1100 m | 16x2 black | 1.16STP P |
| 50-018MR | 50 m / 800 m | 18x2 red | 1.18STP P |
| 50-018MB | 50 m / 800 m | 18x2 blue | 1.18STP P |
| 50-018MBLACK | 50 m / 800 m | 18x2 black | 1.18STP P |
| 100-018MR | 100 m / 1000 m | 18x2 red | 1.18STP P |
| 100-018MB | 100 m / 1000 m | 18x2 blue | 1.18STP P |
| 100-018MBLACK | 100 m / 1000 m | 18x2 black | 1.18STP P |
| 25-020MR | 25 m / 800 m | 20x2 red | 1.20STP P |
| 25-020MB | 25 m / 800 m | 20x2 blue | 1.20STP P |
| 25-020MBLACK | 25 m / 800 m | 20x2 black | 1.20STP P |
| 50-020MR | 50 m / 800 m | 20x2 red | 1.20STP P |
| 50-020MB | 50 m / 800 m | 20x2 blue | 1.20STP P |
| 50-020MBLACK | 50 m / 800 m | 20x2 black | 1.20STP P |
| 50-026MR | 50 m / 500 m | 26x3 red | 1.26STP P |
| 50-026MB | 50 m / 500 m | 26x3 blue | 1.26STP P |
| 50-026MBLACK | 50 m / 500 m | 26x3 black | 1.26STP P |
| 25-032MR | 25 m / 400 m | 32x3 red | 1.32STP P |
| 25-032MB | 25 m / 400 m | 32x3 blue | 1.32STP P |
| 25-032MBLACK | 25 m / 400 m | 32x3 black | 1.32STP P |

Type: COMBI STANDARD



Henco Combi (Coil)

Henco Combi (Rol)

Henco Combi (Rouleau)

Henco Combi (Ring)

| Article number | m / Pallet | Type | Subgroup |
|----------------|--------------|------|-----------|
| 50-COMBI14 | 50 m / 500 m | 14x2 | 2.14STP P |
| 50-COMBI16 | 50 m / 500 m | 16x2 | 2.16STP P |
| 50-COMBI18 | 50 m / 500 m | 18x2 | 2.18STP P |

A. STANDARD (PE-Xc/AL/PE-Xc)

1 Type: FLEX STANDARD



Henco Flex (Coil)
Henco Flex (Rol)
Henco Flex (Rouleau)
Henco Flex (Ring)

| Article number | Packing | Type | Subgroup |
|----------------|---------|----------|----------|
| ▲ 100-FLEX26 | 100 m | 2 - 26x3 | |
| ▲ 100-FLEX32 | 100 m | 2 - 32x3 | |

8 Type: LB



Henco carcassing pipe Ø 16
Dubbele radiatorbocht Henco buis Ø 16, doorverbonden einde
Double courbe radiateur, tube Henco Ø 16, bout rattaché
Heizkörperwinkel doppelt, Henco Rohr Ø 16, durchgestellt Ende

| Article number | m | Type | Subgroup |
|----------------|-----|-------|----------|
| LB45 | 1 m | 45 mm | |
| LB50 | 1 m | 50 mm | |

10 Type: ISO-BLOCK-S



Henco carcassing pipe Ø 16 with insulation
Dubbele radiatoraansluitbocht met isolatie, Ø 16, doorverbonden einde
Double courbe radiateur, Ø 16, avec isolation, bout rattaché
Heizkörperwinkel doppelt mit Isolation, Ø 16, durchgestellt Ende

| Article number | m | Type | Subgroup |
|----------------|-----|-------------|----------|
| ISO-BLOCK-S | 1 m | ISO-BLOCK-S | |


11 Type: ISO-BLOCK-L



Henco carcassing pipe Ø 16 with insulation
Dubbele radiatoraansluitbocht met isolatie, Ø 16, doorverbonden einde
Double courbe radiateur, Ø 16, avec isolation, bout rattaché
Heizkörperwinkel doppelt mit Isolation, Ø 16, durchgestellt Ende

| Article number | m | Type | Subgroup |
|----------------|-----|-------------|----------|
| ISO-BLOCK-L | 1 m | ISO-BLOCK-L | |

B. RIXc (PE-Xc/AL/PE-Xc)



Type: COIL



Henco multilayer pipe RIXc (Coil)
 Henco meerlagenbuis RIXc (Rol)
 Henco tube multicouche RIXc (Rouleau)
 Henco Merschichtverbundrohr RIXc (Ring)

| Article number | m / Pallet | Type | Subgroup |
|----------------|----------------|------|----------|
| 50-R160212 | 50 m / 1500 m | 16x2 | 1.16R PB |
| 100-R160212 | 100 m / 2200 m | 16x2 | 1.16R PB |
| 200-R160212 | 200 m / 2600 m | 16x2 | 1.16R PB |
| 500-R160212 | 500 m / 2500 m | 16x2 | 1.16R PB |
| 100-R180214 | 100 m / 1700 m | 18x2 | 1.18R PB |
| 200-R180214 | 200 m / 2000 m | 18x2 | 1.18R PB |
| 100-R200216 | 100 m / 1500 m | 20x2 | 1.20R PB |
| 50-R260320 | 50 m / 800 m | 26x3 | 1.26R PB |

Type: STRAIGHT LENGTH



Henco multilayer pipe RIXc (Straight length)
 Henco meerlagenbuis RIXc (Stang)
 Henco tube multicouche RIXc (Barre)
 Henco Merschichtverbundrohr RIXc (Stange)

| Article number | m | Type | Subgroup |
|----------------|-------|------|-----------|
| 02-R160212 | 50 m | 16x2 | 2.16R P B |
| 03-R160212 | 75 m | 16x2 | 2.16R P B |
| 04-R160212 | 100 m | 16x2 | 2.16R P B |
| 05-R160212 | 125 m | 16x2 | 2.16R P B |
| 02-R180214 | 40 m | 18x2 | 2.18R P B |
| 03-R180214 | 60 m | 18x2 | 2.18R P B |
| 04-R180214 | 80 m | 18x2 | 2.18R P B |
| 05-R180214 | 100 m | 18x2 | 2.18R P B |
| 02-R200216 | 36 m | 20x2 | 2.20R P B |
| 03-R200216 | 48 m | 20x2 | 2.20R P B |
| 04-R200216 | 72 m | 20x2 | 2.20R P B |
| 05-R200216 | 90 m | 20x2 | 2.20R P B |
| 02-R260320 | 20 m | 26x3 | 2.26R P B |
| 03-R260320 | 30 m | 26x3 | 2.26R P B |
| 04-R260320 | 40 m | 26x3 | 2.26R P B |
| 05-R260320 | 50 m | 26x3 | 2.26R P B |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

B. RIXc (PE-Xc/AL/PE-Xc)

1 Type: ISO4 (6 mm)



RIXc Pre-insulated (Coil)
 RIXc Voorgeïsoleerd (Rol)
 RIXc Préisolé (Rouleau)
 RIXc Isoliert (Ring)

| Article number | m / Pallet | Type | Subgroup |
|------------------|----------------|-----------|-----------|
| • 50-ISO4-R16-RO | 50 m / 650 m | 16x2 red | 1.16RI4 P |
| • 50-ISO4-R16-BL | 50 m / 650 m | 16x2 blue | 1.16RI4 P |
| 100-ISO4-R16-RO | 100 m / 1300 m | 16x2 red | 1.16RI4 P |
| 100-ISO4-R16-BL | 100 m / 1300 m | 16x2 blue | 1.16RI4 P |
| 50-ISO4-R18-RO | 50 m / 650 m | 18x2 red | 1.18RI4 P |
| 50-ISO4-R18-BL | 50 m / 650 m | 18x2 blue | 1.18RI4 P |
| 50-ISO4-R20-RO | 50 m / 700 m | 20x2 red | 1.20RI4 P |
| 50-ISO4-R20-BL | 50 m / 700 m | 20x2 blue | 1.20RI4 P |
| 25-ISO4-R26-RO | 25 m / 300 m | 26x3 red | 1.26RI4 P |
| 25-ISO4-R26-BL | 25 m / 300 m | 26x3 blue | 1.26RI4 P |
| 50-ISO4-R26-RO | 50 m / 500 m | 26x3 red | 1.26RI4 P |
| 50-ISO4-R26-BL | 50 m / 500 m | 26x3 blue | 1.26RI4 P |

2 Type: ISO9 (10 mm)



RIXc Pre-insulated (Coil)
 RIXc Voorgeïsoleerd (Rol)
 RIXc Préisolé (Rouleau)
 RIXc Isoliert (Ring)

| Article number | m / Pallet | Type | Subgroup |
|----------------|--------------|-----------|-----------|
| 50-ISO9-R16-RO | 50 m / 650 m | 16x2 red | 2.16RI9 P |
| 50-ISO9-R16-BL | 50 m / 650 m | 16x2 blue | 2.16RI9 P |
| 50-ISO9-R18-RO | 50 m / 650 m | 18x2 red | 2.18RI9 P |
| 50-ISO9-R18-BL | 50 m / 650 m | 18x2 blue | 2.18RI9 P |
| 50-ISO9-R20-RO | 50 m / 500 m | 20x2 red | 2.20RI9 P |
| 50-ISO9-R20-BL | 50 m / 500 m | 20x2 blue | 2.20RI9 P |
| 25-ISO9-R26-RO | 25 m / 275 m | 26x3 red | 2.26RI9 P |
| 25-ISO9-R26-BL | 25 m / 275 m | 26x3 blue | 2.26RI9 P |

3 Type: ISO13 (13 mm)



RIXc Pre-insulated (Coil)
 RIXc Voorgeïsoleerd (Rol)
 RIXc Préisolé (Rouleau)
 RIXc Isoliert (Ring)

| Article number | m / Pallet | Type | Subgroup |
|-----------------|--------------|-----------|------------|
| 50-ISO13-R16-BL | 50 m / 400 m | 16x2 blue | 3.16RI13 P |
| 50-ISO13-R18-BL | 50 m / 400 m | 18x2 blue | 3.18RI13 P |
| 50-ISO13-R20-BL | 50 m / 400 m | 20x2 blue | 3.20RI13 P |
| 50-ISO13-R26-BL | 50 m / 400 m | 26x3 blue | 3.26RI13 P |

B. RIXc (PE-Xc/AL/PE-Xc)



Type: RIXc PIPE IN PIPE



RIXc With colour coded conduit (Coil)

RIXc Met mantel (Rol)

RIXc Avec gaine (Rouleau)

RIXc Mit Mantel (Ring)

| Article number | m / Pallet | Type | Subgroup |
|----------------|----------------|------------|-----------|
| 25-R16MR | 25 m / 800 m | 16x2 red | 1.16RTP P |
| 25-R16MB | 25 m / 800 m | 16x2 blue | 1.16RTP P |
| 25-R16MBLACK | 25 m / 800 m | 16x2 black | 1.16RTP P |
| 50-R16MR | 50 m / 800 m | 16x2 red | 1.16RTP P |
| 50-R16MB | 50 m / 800 m | 16x2 blue | 1.16RTP P |
| 50-R16MBLACK | 50 m / 800 m | 16x2 black | 1.16RTP P |
| 100-R16MR | 100 m / 1000 m | 16x2 red | 1.16RTP P |
| 100-R16MB | 100 m / 1000 m | 16x2 blue | 1.16RTP P |
| 100-R16MBLACK | 100 m / 1000 m | 16x2 black | 1.16RTP P |
| 50-R18MR | 50 m / 800 m | 18x2 red | 1.18RTP P |
| 50-R18MB | 50 m / 800 m | 18x2 blue | 1.18RTP P |
| 50-R18MBLACK | 50 m / 800 m | 18x2 black | 1.18RTP P |
| 100-R18MR | 100 m / 1000 m | 18x2 red | 1.18RTP P |
| 100-R18MB | 100 m / 1000 m | 18x2 blue | 1.18RTP P |
| 100-R18MBLACK | 100 m / 1000 m | 18x2 black | 1.18RTP P |
| 25-R20MR | 25 m / 800 m | 20x2 red | 1.20RTP P |
| 25-R20MB | 25 m / 800 m | 20x2 blue | 1.20RTP P |
| 25-R20MBLACK | 25 m / 800 m | 20x2 black | 1.20RTP P |
| 50-R20MR | 50 m / 800 m | 20x2 red | 1.20RTP P |
| 50-R20MB | 50 m / 800 m | 20x2 blue | 1.20RTP P |
| 50-R20MBLACK | 50 m / 800 m | 20x2 black | 1.20RTP P |
| 100-R20MR | 100 m / 1000 m | 20x2 red | 1.20RTP P |
| 100-R20MB | 100 m / 1000 m | 20x2 blue | 1.20RTP P |
| 100-R20MBLACK | 100 m / 1000 m | 20x2 black | 1.20RTP P |
| 50-R26MR | 50 m / 500 m | 26x3 red | 1.26RTP P |
| 50-R26MB | 50 m / 500 m | 26x3 blue | 1.26RTP P |
| 50-R26MBLACK | 50 m / 500 m | 26x3 black | 1.26RTP P |

Type: COMBI RIXc



Henco Combi (Coil)

Henco Combi (Rol)

Henco Combi (Rouleau)

Henco Combi (Ring)

| Article number | m / Pallet | Type | Subgroup |
|----------------|--------------|------|-----------|
| 50-COMBI16R | 50 m / 500 m | 16x2 | 2.16RTP P |